

## Montageanleitung

# TV- Halterung

VM-XP302 – Artikel: 50564

Tragkraft Maximal 60 kg  
übliche Gerätegröße: 23-42" (58-107 cm)



### Technische Änderungen vorbehalten!

Durch stetige Weiterentwicklungen können Abbildungen, Funktionsschritte und technische Daten geringfügig abweichen.

### Aktualisierung der Dokumentation

Haben Sie Vorschläge zur Verbesserung oder haben Sie Unregelmäßigkeiten festgestellt, nehmen Sie bitte Kontakt mit uns auf.

### Einleitung

Vielen Dank, dass Sie sich zum Kauf dieses Qualitätsproduktes entschieden haben. Um das Verletzungsrisiko zu minimieren bitten wir Sie stets einige grundlegende Sicherheitsvorkehrungen zu treffen, wenn Sie dieses Gerät verwenden. Bitte lesen Sie diese Bedienungsanleitung sorgfältig durch und vergewissern Sie sich, dass Sie sie verstanden haben.

Anschrift:  
WiITec Wildanger Technik GmbH  
Königsbenden 12 / 28  
D-52249 Eschweiler

### Wichtiger Hinweis:

Nachdruck, auch auszugsweise, und jegliche kommerzielle Nutzung, auch von Teilen der Anleitung, nur mit schriftlicher Genehmigung, der Wiltec Wildanger Technik GmbH.

# MONTAGEANLEITUNG



 60kg(132lbs) max.

 23" - 42"(58-107cm) max.

## TEILE ENTHALTEN


A



C x2




B




D	 M4 (x4)	 M4x12 (x4)	 M4x30 (x4)	H	 M6 (x4)	 small plug (x4)	 large plug (x4)
E	 M5 (x4)	 M5x12 (x4)	 M5x30 (x4)	I	 M8 (x6)	 M8x85 (x6)	 Ø10x80 (x6)
F	 M6 (x4)	 M6x12 (x4)	 M6x35 (x4)	J	 (x1)		
G	 M8 (x4)	 M8x16 (x4)	 M8x40 (x4)	K	 M6 (x2)	 M6x8 (x2)	

## BENÖTIGTES WERKZEUG





# ▶ MONTAGE



①




② A



B




③





nehmen sie ggf. Feineinstellungen vor.

④




Befestigen Sie die Abdeckungen (C).

⑤




Benutzen Sie diese Option für die VESA-Normen:  
100mm x 200mm - 200mm x 200mm - 300mm x 200mm

⑥




⑦



Tighten the screws as picture shows.




8




entfernen Sie die Drahtstifte um das Gerät verkabeln zu können.

9



10



## Installation Guide

### Monitor Mount - Single LT04 – Article: 50564

Max. lifting capacity 60 kg  
standard size of device: 23-42" (58-107 cm)



#### Technical changes reserved!

Due to further developments illustrations, functioning steps and technical data can differ insignificantly.

#### Updating the documentation

If you have suggestions for improvement or have found any irregularities please contact us.

#### Introduction

Thank you for purchasing this quality product. To minimize the risk of injury we urge that our clients take some basic safety precautions when using this device. Please read the operation instructions carefully and make sure you have understood its content.

WiITec Wildanger Technik GmbH  
Königsbenden 12 / 28  
D-52249 Eschweiler

**Important notice:** The reprint or reproduction, even of excerpts, and any commercial use, even in part of this instructions manual require the written permission of WiITec Wildanger Technik GmbH.

# MOUNTING INSTRUCTIONS



60kg(132lbs) max.




23" - 42"(58-107cm) max.

## Parts Included


A



C x2






B




<b>D</b>	 M4 (x4)	 M4x12 (x4)	 M4x30 (x4)	<b>H</b>	 M6 (x4)	 small plug (x4)	 large plug (x4)
<b>E</b>	 M5 (x4)	 M5x12 (x4)	 M5x30 (x4)	<b>I</b>	 M8 (x6)	 M8x85 (x6)	 Ø10x80 (x6)
<b>F</b>	 M6 (x4)	 M6x12 (x4)	 M6x35 (x4)	<b>J</b>	 (x1)		
<b>G</b>	 M8 (x4)	 M8x16 (x4)	 M8x40 (x4)	<b>K</b>	 M6 (x2)	 M6x8 (x2)	

## Tools Required (Not Included)






# ▶ Installation




①




② A



B




③





Adjustment May Be Needed.

4




Attach the cover (C).

5




NOTE: USE OPTION a FOR VESA HOLE PATTERNS OF:  
100mm x 200mm - 200mm x 200mm - 300mm x 200mm

6




Attach part A to part B by hooking on.

7




Tighten the screws as picture shows.

8




Taking down the wire nail and then cabling.

9



Route Cables.

10



To get optional viewing,  
adjustment May Be Needed.