

Montageanleitung

TV- Halterung

VM-XP303 – Artikel: 50565

Tragkraft Maximal 60 kg
übliche Gerätegröße: 23-42" (58-107 cm)



Technische Änderungen vorbehalten!

Durch stetige Weiterentwicklungen können Abbildungen, Funktionsschritte und technische Daten geringfügig abweichen.

Aktualisierung der Dokumentation

Haben Sie Vorschläge zur Verbesserung oder haben Sie Unregelmäßigkeiten festgestellt, nehmen Sie bitte Kontakt mit uns auf.

Einleitung

Vielen Dank, dass Sie sich zum Kauf dieses Qualitätsproduktes entschieden haben. Um das Verletzungsrisiko zu minimieren bitten wir Sie stets einige grundlegende Sicherheitsvorkehrungen zu treffen, wenn Sie dieses Gerät verwenden. Bitte lesen Sie diese Bedienungsanleitung sorgfältig durch und vergewissern Sie sich, dass Sie sie verstanden haben.

Anschrift:
WilTec Wildanger Technik GmbH
Königsbenden 12 / 28
D-52249 Eschweiler

Wichtiger Hinweis:

Nachdruck, auch auszugsweise, und jegliche kommerzielle Nutzung, auch von Teilen der Anleitung, nur mit schriftlicher Genehmigung, der Wiltec Wildanger Technik GmbH.

MONTAGEANLEITUNG




81.6kg(180lbs) max.




37" - 63"(94-160cm) max.

► TEILE ENTHALTEN

A x2



B




C x2




D	 M4 (x4)	 M4x12 (x4)	 M4x30 (x4)	H	 M6 (x4)	 small plug (x4)	 large plug (x4)
E	 M5 (x4)	 M5x12 (x4)	 M5x30 (x4)	I	 M8 (x6)	 M8x85 (x6)	 Ø10x80 (x6)
F	 M6 (x4)	 M6x12 (x4)	 M6x35 (x4)	J	 (x1)		
G	 M8 (x4)	 M8x16 (x4)	 M8x40 (x4)				

► BENÖTIGTES WERKZEUG



▶ MONTAGE

①




②



B

B-1

B-2





B




③


A




④




5





7




6




8




9



10




11



12



Metallflaschen und
Vorhängeschloss
(nicht enthalten)



Installation Guide

Monitor Mount - Single VM-XP603 – Article: 50566

Max. lifting capacity 81,6 kg
standard size of device: 37-63*(94-160 cm)



Technical changes reserved!

Due to further developments illustrations, functioning steps and technical data can differ insignificantly.

Updating the documentation

If you have suggestions for improvement or have found any irregularities please contact us.

Introduction

Thank you for purchasing this quality product. To minimize the risk of injury we urge that our clients take some basic safety precautions when using this device. Please read the operation instructions carefully and make sure you have understood its content.

WITec Wildanger Technik GmbH
Königsbenden 12 / 28
D-52249 Eschweiler

Important notice: The reprint or reproduction, even of excerpts, and any commercial use, even in part of this instructions manual require the written permission of WITec Wildanger Technik GmbH.

MOUNTING INSTRUCTIONS




81.6kg(180lbs) max.




37" - 63"(94-160cm) max.

► Parts Included


A x2



B





C x2




D	 M4 (x4)	 M4x12 (x4)	 M4x30 (x4)	H	 M6 (x4)	 small plug (x4)	 large plug (x4)
E	 M5 (x4)	 M5x12 (x4)	 M5x30 (x4)	I	 M8 (x6)	 M8x85 (x6)	 Ø10x80 (x6)
F	 M6 (x4)	 M6x12 (x4)	 M6x35 (x4)	J	 (x1)		
G	 M8 (x4)	 M8x16 (x4)	 M8x40 (x4)				

► Tools Required (Not Included)




► Installation

①




②





Use screw - driver to loose the screw, and divide B into B-1 and B-2.


③ A



B




④




Adjustment may be needed.

5




Attach the covers (C).

6






Attach part B-1 to part B-2 by hooking on.

7




Tighten the screws as picture shows.

8




9




With help of another person, hook TV Brackets (with TV set) onto the bars of Part B.

10




Taking down the wire nail and then cabling.

11



Route Cables.

12



To get optional viewing, adjustment may be needed.

Metal Tabs an Pad Lock (not included)

